

# Carù




*CORDUROY BRUSHING MACHINES*  
*Dry "ARN2 & Wet BNR2"*




Since 1961

 **ITALY**   
For info: [info@carusrl.it](mailto:info@carusrl.it)



# ANR2 FOR CORDUROY DRY PROCESS



## CORDUROY BRUSHING MACHINE

This system is the result of more than forty years of experience in the specific field of corduroy.

The brushing machines ANR2 and BNR2 have been specifically planned and realized for the continuous brushing of corduroy fabrics.

PATENTS protect the innovation introduced which have made those brushing machine the most technologically advanced machine and above all the only in conformity with CE standards.

### Technical features:

Special survey transparent window lets an easy inspection inside the machine. The bottom part It is made of **two rotary brushing-belts** that are joint together in a close ring with a development of 6100mm and a width of 150mm.

The bristles of the brushes are made of nylon, 50 mm high and 0.50mm in diameter **inserted directly into the belt**. (Different bristle can be required) The belts are guided by pulleys with a **diameter of 315mm**, which form a belt pattern that works on **two contact points** equipped with **special devices** which allow **centralization, adjustment and self-stretching**. The belts are driven by two 3KW A.C. motor-reducer. The upper part has two rotary brushes in nylon with a diameter of **260 mm** and bristles with section of 0,40 mm (or different on request). The brush are driven each by a 2,2 KW A.C. motor. **Two points of contacts** adjustable for the intensity of brushing required, with the possibility to process on **“AIR” or “CONTACT”**.

Graduate hand wheels permit **a finest positioning** of the approaching rollers to the brushes.



### OPTIONAL DEVICES

At inlet:  
Steamer unit;  
Fabric's guiding system;  
Unwinding device;  
At outlet:  
Plaiter unit;  
Winding device (batcher);






ROLLER WIDTH	2000 mm
WORKING WIDTH	1850mm
FABRIC FEED SPEED	35m/min
INSTALLED POWER	15 Kw
POWER ABSORPTION	8-10Kw
BRUSH SPEED	700 RPM
AIR PRESSURE	5 bar
COMPRESSED AIR CONSUPTION	1 m3 / h





**BNR2 FOR  
CORDUROY  
WET PROCESS**

**Caru**



**STAND ALONE  
MACHINE**




**AUTOMATIC RECYCLING  
WATER FILTER**



# Carù

## Production range:

- SUEDING MACHINES
- DUST CLEANING MACHINES
- CORDUROY MACHINES
- LASER ENGRAVING MACHINES
- SHEARING MACHINES
- RAISING MACHINES
- ULTRASONIC SLITTING/WELDING MACHINES



Carù is located at 10 minutes from the International Airport of Milano Malpensa

## Macchine Carù S.r.l.

Sede legale, Registered office: Via Magenta 43, 21052 Busto Arsizio (VA) ITALY

Sede operativa, Headquarters: Via Lario, 4 - 4A, 21015 Lonate Pozzolo (VA) ITALY

Tel: +39 0331-261485 - Email: [info@carusrl.it](mailto:info@carusrl.it)



P.Iva 02897530123 - Cap. Soc. € 40.000,00 i.v. - N. REA: Varese 300424

## The power of quality

### MACCHINE CARU' S.r.l

Via Lario 4, Lonate Pozzolo (VA), Italy

Tel/Fax: +390331261485 Email: [caru@carusrl.it](mailto:caru@carusrl.it)

<http://www.carusrl.it>

