



GENERAL CATALOGUE



RBNV-I Vertical Package Dyeing System

- Elico-centrifugal pump, to achieve:
 - Very short processing time (6 hours x reactive)
 - Minimal utilities consumptions (35-40 l/Kg)
 - Perfect material preservation (no hairiness)
 - Excellent consistency (I/O and cone to cone)
 - Big cones dyeing (up to 2 Kg COT, up to 4 Kg Pes)
- Exclusive pulse-rinsing system (water saving)
- Best world wide references
- Excellent flexibility (all fibers, all packages)
- Variable capacity with almost same MLR
- Batch-size from 5 to 2.000 Kg



RBNO-I Horizontal Package Dyeing System

- Same performances of Vertical System
- Easy material carriers handling
- No need for mezanine
- Shuttle or trolleys carriers transportation
- Minimum room height = 4 meters
- Best world wide references
- Batch-size from 50 to 2500 Kg



ARSPV and ARSPO Energy Recovery Pressure Dryers

- Excellent material preservation due to an accurate residual moisture set and control
- 90% of total energy recovery
- Exceptionally low running costs
- No cone-to-cone handling from raw to finished
- No dyeing tube breaking or deformation
- Yarn conditioning after drying
- No rewinding after drying (direct to warping/knitting)
- Space and manpower saving
- Batch-size from 100 to 2.000 Kg






APPC-LV Cabinet Hanks Dyeing Machine

- Air-padded cabinet – 104°C
- Very low MLR (1:10-13)
- 50-100% flexible loading (same MLR)
- Best world wide references
- Suitable for all fibers (PES with carrier)
- Modular interchangeable carriers
- Internal heat exchanger
- Installation at floor level (no pit)
- Number one in mercerized cotton sector



ABEP Removable Arms Hanks Spray Machine

- Air-padded machine – 102°C
- Intelligent automatic flow-rate regulation
- Interchangeable removable arms
- Perfect flow balancing
- Low MLR (1:7-10)
- Specially recommended for monofilaments and sensitive yarns



AAM

- Air-circulation dryer
- Only for mercerized cotton hanks drying
- Designed to receive the APPC dyeing carriers
- No hanks handling from raw to finished
- No entanglements
- High-speed, non-stop hanks rewinding
- Low energy consumption
- Suitable also for package atmospheric drying



HEAD OFFICE

20021 Bollate (Milano)
Via XI Febbraio, 26
Phone +39 02 3330871
Fax +39 02 3501665

WORKSHOP

46040 Casalromano (MN)
Via A.De Gasperi, 29/31
Phone +39 0376 714891
+39 0376 76444
Fax +39 0376 76019



E-mail: info@lorisbellini.com

www.lorisbellini.com

Your partner in Top Quality Dyeing Plants
Wherever You are